

TTB 300P W ML/70°/L65

44,0350,4412

TTB 300P W ML/70°/L65 (44,0350,4412)

SCREWABLE

GAS	TTP 80P G ML	TTP 160P G ML	TTP 200P G ML	TTP 260P G ML
	44,0350,5466	44,0350,5452	44,0350,5461	44,0350,5465
	44,0350,5466,630	44,0350,5452,630	44,0350,5461,630	
	44,0350,0525	44,0350,4407	44,0350,4409	
	44,0350,0525,630	44,0350,4407,630	44,0350,4409,630	
	44,0350,5467	44,0350,5453,630	44,0350,5462,630	
	44,0350,5467,630	44,0350,5454,630	44,0350,5463,630	
		44,0350,5455	44,0350,5464	
		44,0350,5455,630	44,0350,5464,630	
		TTB 160P S G ML	TTB 200P S G ML	
		44,0350,5489	44,0350,5491	

SCREWABLE

WATER	TTP 180P W ML	TTP 300P W ML	TTP 400P W ML	TTP 500P W ML
	44,0350,5469	44,0350,5475	44,0350,5484	44,0350,4416
	44,0350,5469,630	44,0350,4412	44,0350,4414	44,0350,4416,630
	44,0350,0526	44,0350,4412,630	44,0350,4414,630	
	44,0350,0526,630	44,0350,5476,630	44,0350,5485,630	
	44,0350,5470	44,0350,5477,630	44,0350,5486,630	
	44,0350,5470,630	44,0350,5478	44,0350,5487	
		44,0350,5478,630	44,0350,5487,630	

PLUGABLE


GAS	TTP 160A G ML	TTP 220A G ML	TTP 260A G ML
	44,0350,5448	44,0350,5457	44,0350,4410
	44,0350,5448,630	44,0350,5457,630	44,0350,4410,630
	44,0350,4406	44,0350,4408	
	44,0350,4406,630	44,0350,4408,630	
	44,0350,5449,630	44,0350,5458,630	
	44,0350,5450,630	44,0350,5459,630	
	44,0350,5451	44,0350,5460	
	44,0350,5451,630	44,0350,5460,630	

PLUGABLE

WATER	TTP 300A W ML	TTP 400A W ML	TTP 500A W ML
	44,0350,5471	44,0350,5480	44,0350,4415
	44,0350,4411	44,0350,5480,630	44,0350,4415,630
	44,0350,4411,630	44,0350,4413	
	44,0350,5472,630	44,0350,4413,630	
	44,0350,5473,630	44,0350,5481,630	
	44,0350,5474	44,0350,5482,630	
	44,0350,5474,630	44,0350,5483	
		44,0350,5483,630	

TAB electrode

		Part No. electrode WC20	Part No. electrode WP	Part No. electrode WS2	Part No. electrode GP
Ømm	Øinch				
1,0	.039	42,0411,4012			41,0010,0247
1,6	.063	42,0411,4001	42,0411,4008	42,0411,0161	41,0010,0246
2,0	.078	42,0411,4004	42,0411,0214	42,0411,0215	41,0010,0059
2,4	.094	42,0411,4002	42,0411,4005	42,0411,0162	41,0010,0245
3,2	.126	42,0411,4003	42,0411,4006	42,0411,0163	41,0010,0244
4,0	.157				41,0010,0243






TTB 300P W ML/70°/L65 (44,0350,4412)

TTB 300P W
S + F

TAB electrode

Ømm	Øinch	Part No. electrode WC20	Part No. electrode WP	Part No. electrode WS2	Part No. electrode GP
1,0	.039	42,0411,4012			41,0010,0247
1,6	.063	42,0411,4001	42,0411,4008	42,0411,0161	41,0010,0246
2,0	.078	42,0411,4004	42,0411,0214	42,0411,0215	41,0010,0059
2,4	.094	42,0411,4002	42,0411,4005	42,0411,0162	41,0010,0245
3,2	.126	42,0411,4003	42,0411,4006	42,0411,0163	41,0010,0244
4,0	.157				41,0010,0243




TTB 300P W ML/70°/L65 (44,0350,4412)

TTB 300P W
TFC

TAB electrode

Ømm	Øinch	Part No. electrode WC20	Part No. electrode WP	Part No. electrode WS2	Part No. electrode GP
1,0	.039	42,0411,4012			41,0010,0247
1,6	.063	42,0411,4001	42,0411,4008	42,0411,0161	41,0010,0246
2,0	.078	42,0411,4004	42,0411,0214	42,0411,0215	41,0010,0059
2,4	.094	42,0411,4002	42,0411,4005	42,0411,0162	41,0010,0245
3,2	.126	42,0411,4003	42,0411,4006	42,0411,0163	41,0010,0244
4,0	.157				41,0010,0243





OPTION STANDARD 3/8 "

x) standard equipment

1	GAS LENSE	Electrode Ø		Part No.
		Ømm	Øinch	
		1,0	.039	42,0001,2827
		1,6	.063	42,0001,0260
		2,0	.078	42,0001,0647
		2,4	.094	42,0001,0261
		3,2	.126	42,0001,0262

2	HEAD SHIELD	Part No.
		42,0100,039x)

3	COLLET	Electrode Ø		Part No.
		Ømm	Øinch	
		1,0	.039	42,0001,1129
		1,6	.063	42,0001,1130
		2,0	.078	42,0001,1131
		2,4	.094	42,0001,113x)
		3,2	.126	42,0001,1133

4					
GAS NOZZLE CERAMIC SCREWABLE					
3/8" - 24UNF					
L=29,4mm / 1.156inch					
	d3		d4		Part No.
	mm	inch	mm	inch	
	6,4	.252	14,3	.563	42,0300,0105
	7,9	.311	14,3	.563	42,0300,0106
L=29,4mm / 1.156inch					
	d3		d4		Part No.
	mm	inch	mm	inch	
	9,5	.374	14,3	.563	42,0300,010x)
	11,1	.437	17,5	.689	42,0300,0108
	12,7	.500	17,5	.689	42,0300,0109
	15,9	.626	20,6	.811	42,0300,0110

TTB 300P W ML/70°/L65 (44,0350,4412)

OPTION 9/16 "

5

GAS LENSE	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	42,0001,1343
	1,6	.063	42,0001,1344
	2,0	.078	42,0001,1135
	2,4	.094	42,0001,1345
	3,2	.126	42,0001,1346


2

HEAD SHIELD	Part No.
	42,0100,039

3

COLLET	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	42,0001,1129
	1,6	.063	42,0001,1130
	2,0	.078	42,0001,1131
	2,4	.094	42,0001,1132
	3,2	.126	42,0001,1133

6

GAS NOZZLE CERAMIC SCREWABLE 9/16" - 18UNF				
L=25,4mm / 1.0inch				
	d3		d4	
	mm	inch	mm	inch
	6,4	.252	20,6	.811
	7,9	.311	20,6	.811
	9,5	.374	20,6	.811
	11,1	.437	20,6	.811
	12,7	.500	19	.748
Part No.				
42,0300,0982				
42,0300,0983				
42,0300,0984				
42,0300,2007				
42,0300,2008				


TTB 300P W ML/70°/L65 (44,0350,4412)

OPTION LARGE

7 	GAS LENSE		Electrode Ø		Part No.
	Ømm	Øinch			
	1,0	.039			42,0001,3010
	1,6	.063			42,0001,3011
	2,0	.078			42,0001,0571
	2,4	.094			42,0001,3012
	3,2	.126			42,0001,3013

8 	HEAD SHIELD	Part No.
		42,0100,040X)

9 	COLLET		Electrode Ø		Part No.
	Ømm	Øinch			
	1,0	.039			42,0001,2826
	1,6	.063			42,0001,3001
	2,0	.078			42,0001,0570
	2,4	.094			42,0001,3008
	3,2	.126			42,0001,3009

10 	GAS NOZZLE CERAMIC SCREWABLE 1"-16G				
	L=47,6mm / 1.875inch				
	d3		d4		Part No.
	mm	inch	mm	inch	
	9,5	.374	30,2	1,189	42,0300,2247
	12,7	.500	30,2	1,189	42,0300,2248
	15,9	.626	30,2	1,189	42,0300,2249
	19,0	.75	30,2	1,189	42,0300,2250


TTB 300P W ML/70°/L65 (44,0350,4412)

OPTION SMALL

11 	GAS LENSE		 Electrode Ø	Part No.
	Ømm	Øinch		
	1,0	.039		44,0350,1489
	1,6	.063		44,0350,1490
	2,0	.078		44,0350,0939
	2,4	.094		44,0350,1491

12 	HEAD SHIELD	Part No.
		42,0100,0388ong 42,0100,0388)

13 	COLLET		 Electrode Ø	Part No.
	Ømm	Øinch		
	1,0	.039		42,0001,3002
	1,6	.063		42,0001,3003
	2,0	.078		42,0001,0681
	2,4	.094		42,0001,3004

14 	GAS NOZZLE CERAMIC SCREWABLE 7/16"-20 UNF				
	L=15,9mm / 0.625inch				
	d3		d4		Part No.
	mm	inch	mm	inch	
	6,4	.252	15,9	1,189	42,0300,2244
	7,9	.311	15,9	1,189	42,0300,2245

OPTION CHAMPAGNE

2	HEAD SHIELD	Part No.
	42,0100,0391 x)	

3	COLLET	Electrode Ø	Part No.
		Ømm Øinch	
		1,0 .039	42,0001,1129
		1,6 .063	42,0001,1130
		2,0 .078	42,0001,1131
		2,4 .094	42,0001,1132)
		3,2 .126	42,0001,1133

18	POSITIONING MANDREL
	
44,1100,0141	


5	GAS LENSE	Electrode Ø	Part No.
		Ømm Øinch	
		1,0 .039	42,0001,1343
		1,6 .063	42,0001,1344
		2,0 .078	42,0001,1135
		2,4 .094	42,0001,1345
		3,2 .126	42,0001,1346

15	SCREEN	Electrode Ø	Part No.
		Ømm Øinch	
		1,0 .039	44,0350,1464
		1,6 .063	44,0350,1477
		2,0 .078	44,0350,1478
		2,4 .094	44,0350,1391
		3,2 .126	44,0350,1479


16

GAS NOZZLE CERAMIC SCREWABLE
CHAMPAGNE

L=29mm / 1.14inch



d3		d4		Part No.
mm	inch	mm	inch	
15	0.59	25,2	1.0	42,1600,0050

17	SET	Electrode Ø	Part No.
		Ømm Øinch	
		1,0 .039	44,0350,1681
		1,6 .063	44,0350,1682
		2,0 .078	44,0350,1683
		2,4 .094	44,0350,1690
		3,2 .126	44,0350,1684

OPTION GLAS

2	
HEAD SHIELD	Part No.
	42,0100,0394


3			
COLLET	Electrode Ø	Part No.	
	Ømm	Øinch	
	1,0	.039	42,0001,1129
	1,6	.063	42,0001,1130
	2,0	.078	42,0001,1131
	2,4	.094	42,0001,1132
3,2	.126	42,0001,1133	

22	
POSITIONING MANDREL	
	44,1100,0149


5			
GAS LENSE	Electrode Ø	Part No.	
	Ømm	Øinch	
	1,0	.039	42,0001,1343
	1,6	.063	42,0001,1344
	2,0	.078	42,0001,1135
	2,4	.094	42,0001,1345
3,2	.126	42,0001,1346	

64			
SCREEN	Electrode Ø	Part No.	
	Ømm	Øinch	
	1,0	.039	44,0350,1480
	1,6	.063	44,0350,1488
	2,0	.078	44,0350,1504
	2,4	.094	44,0350,1505
3,2	.126	44,0350,1506	

19	
GAS HOSE	Part No.
	44,0350,1448

20		
GAS NOZZLE GLAS CHAMPAGNE	d3	d4
L=29mm / 1.14inch	mm	inch
	18,5	0.72
	28,5	1.1


22			
SET CHAMPAGNE	Electrode Ø	Part No.	
	Ømm	Øinch	
	1,0	.039	44,0350,1779
	1,6	.063	44,0350,1780
	2,0	.078	44,0350,1781
	2,4	.094	44,0350,1509
3,2	.126	44,0350,1791	

21		
GAS NOZZLE GLAS STANDARD	d3	d4
L=26mm / 1.14inch	mm	inch
	12	0.72
	22	1.1

TTB 300P W ML/70°/L65 (44,0350,4412)

TFC 1

65


COLLET	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	42,0001,1242
	1,6	.063	42,0001,1253
	2,0	.078	42,0001,1256
	2,4	.094	42,0001,1257

66

GAS LENSE

44,0350,1851


67

GAS NOZZLE CERAMIC SCREWABLE TFC Ø9,5					
L=25,5mm / 1.654inch					
	d3		d4		Part No.
	mm	inch	mm	inch	
	6,5	.256	20	.965	42,0300,0982
	8,0	.315	20	.965	42,0300,0983
	9,5	.374	20	.965	42,0300,0984
	11,0	.433	20	.965	42,0300,2007
	12,5	.492	19	.965	42,0300,2008


TTB 300P W ML/70°/L65 (44,0350,4412)

TFC 2


65

COLLET	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	42,0001,1242
	1,6	.063	42,0001,1253
	2,0	.078	42,0001,1256
	2,4	.094	42,0001,1257

68

GAS LENSE

42,1000,0749

69


GAS NOZZLE CERAMIC SCREWABLE TFC Ø9,5					
L=30mm / 1.654inch					
	d3		d4		Part No.
	mm	inch	mm	inch	
	6,5	.256	14	.965	42,0300,0105
	8,0	.315	14	.965	42,0300,0106
	9,5	.374	14	.965	42,0300,0107
	11,0	.433	15	.965	42,0300,0108

TFC CHAMPAGNE

65 	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	42,0001,1242
	1,6	.063	42,0001,1253
	2,0	.078	42,0001,1256
	2,4	.094	42,0001,1257

66 
44,0350,1851

15 	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	44,0350,1464
	1,6	.063	44,0350,1477
	2,0	.078	44,0350,1478
	2,4	.094	44,0350,1391

GAS NOZZLE CERAMIC SCREWABLE CHAMPAGNE					
L=29mm / 1.14inch					
	d3		d4		Part No.
	mm	inch	mm	inch	
	15	0.59	25,2	1.0	42,1600,0050

17 	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	44,0350,1681
	1,6	.063	44,0350,1682
	2,0	.078	44,0350,1683
	2,4	.094	44,0350,1690

18 
44,1100,0141

TFC GLAS

65

COLLET	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	42,0001,1242
	1,6	.063	42,0001,1253
	2,0	.078	42,0001,1256
	2,4	.094	42,0001,1257

66

GAS LENSE


44,0350,1851

19

GAS HOSE

44,0350,1448

20

GAS NOZZLE GLAS CHAMPAGNE		d3		d4		Part No.
L=29mm / 1.14inch		mm	inch	mm	inch	
		18,5	0.72	28,5	1.1	42,1600,0064

70

SET GLAS CHAMPAGNE	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	44,0350,1779
	1,6	.063	44,0350,1780
	2,0	.078	44,0350,1781
	2,4	.094	44,0350,1509
	3,2	.126	44,0350,1791

64

SCREEN GLAS	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	44,0350,1480
	1,6	.063	44,0350,1488
	2,0	.078	44,0350,1504
	2,4	.094	44,0350,1505
	3,2	.126	44,0350,1506

58

POSITIONING MANDREL 3/4

44,1100,0149

TTB 300P W ML/70°/L65 (44,0350,4412)

Article no.	Description	Quantity	Unit
44,0350,5466	TTB 80P G ML/70°/L50	1	pc
44,0350,5466,630	TTB 80P G ML OVT/70°/L50	1	pc
44,0350,0525	TTB 80P G ML /70°/L65	1	pc
44,0350,0525,630	TTB 80P G ML OVT/70°/L65	1	pc
44,0350,5467	TTB 80P G ML/70°/L150	1	pc
44,0350,5467,630	TTB 80P G ML OVT/70°/L150	1	pc
44,0350,5465	TTB 260P G ML /70°/L65	1	pc
44,0350,4416	TTB 500P W ML/70°/L65	1	pc
44,0350,4416,630	TTB 500P W ML OVT/70°/L65	1	pc
44,0350,5484	TTB 400P W ML /70°/L50	1	pc
44,0350,4414	TTB 400P W ML/70°/L65	1	pc
44,0350,4414,630	TTB 400P W ML WWP/70°/L65	1	pc
44,0350,5485,630	TTB 400P W ML WWP/70°/L150	1	pc
44,0350,5486,630	TTB 400P W ML WWP/70°/L300	1	pc
44,0350,5487	TTB 400P F W ML /70°/L65	1	pc
44,0350,5487,630	TTB 400P F W ML OVT/70°/L65	1	pc
44,0350,5469	TTB 180P W ML /70°/L50	1	pc
44,0350,5469,630	TTB 180P W ML OVT/70°/L50	1	pc
44,0350,0526	TTB 180P W ML /70°/L65	1	pc
44,0350,0526,630	TTB 180P W ML OVT/70°/L65	1	pc
44,0350,5470	TTB 180P W ML /70°/L150	1	pc
44,0350,5470,630	TTB 180P W ML OVT/70°/L150	1	pc
44,0350,5448	TTB 160A G ML /70°/L50	1	pc
44,0350,5448,630	TTB 160A G ML OVT/70°/L50	1	pc
44,0350,4406	TTB 160A G ML/70°/L65	1	pc
44,0350,4406,630	TTB 160A G ML OVT/70°/L65	1	pc
44,0350,5449,630	TTB 160A G ML WWP/70°/L150	1	pc
44,0350,5450,630	TTB 160A G ML WWP/70°/L300	1	pc
44,0350,5451	TTB 160A G F ML /70°/L65	1	pc
44,0350,5451,630	TTB 160A G F ML OVT /70°/L65	1	pc
44,0350,4410	TTB 260A G ML/70°/L65	1	pc
44,0350,4410,630	TTB 260A G ML OVT/70°/L65	1	pc
44,0350,4415	TTB 500A W ML/70°/L65	1	pc
44,0350,4415,630	TTB 500A W ML OVT/70°/L65	1	pc

TTB 300P W ML/70°/L65 (44,0350,4412)

Article no.	Description	Quantity	Unit
44,0350,5471	TTB 300A W ML /70°/L50	1	pc
44,0350,4411	TTB 300A W ML/70°/L65	1	pc
44,0350,4411,630	TTB 300A W ML WWP/70°/L65	1	pc
44,0350,5472,630	TTB 300A W ML WWP/70°/L150	1	pc
44,0350,5473,630	TTB 300A W ML WWP/70°/L300	1	pc
44,0350,5474	TTB 300A F W ML /70°/L65	1	pc
44,0350,5474,630	TTB 300A F W ML OVT/70°/L65	1	pc
44,0350,5461	TTB 220P G ML /70°/L50	1	pc
44,0350,5461,630	TTB 220P G ML OVT/70°/L50	1	pc
44,0350,4409	TTB 220P G ML/70°/L65	1	pc
44,0350,4409,630	TTB 220P G ML OVT/70°/L65	1	pc
44,0350,5462,630	TTB 220P G ML WWP/70°/L150	1	pc
44,0350,5463,630	TTB 220P G ML WWP/70°/L300	1	pc
44,0350,5464	TTB 220P G F ML /70°/L65	1	pc
44,0350,5464,630	TTB 220P G F ML WWP/70°/L65	1	pc
44,0350,5475	TTB 300P W ML /70°/L50	1	pc
44,0350,4412	TTB 300P W ML/70°/L65	1	pc
44,0350,4412,630	TTB 300P W ML WWP/70°/L65	1	pc
44,0350,5476,630	TTB 300P W ML WWP/70°/L150	1	pc
44,0350,5477,630	TTB 300P W ML WWP/70°/L300	1	pc
44,0350,5478	TTB 300P F W ML /70°/L65	1	pc
44,0350,5478,630	TTB 300P F W ML OVT/70°/L65	1	pc
44,0350,5457	TTB 220A G ML /70°/L50	1	pc
44,0350,5457,630	TTB 220A G ML OVT/70°/L50	1	pc
44,0350,4408	TTB 220A G ML/70°/L65	1	pc
44,0350,4408,630	TTB 220A G ML OVT/70°/L65	1	pc
44,0350,5458,630	TTB 220A G ML WWP/70°/L150	1	pc
44,0350,5459,630	TTB 220A G ML WWP/70°/L300	1	pc
44,0350,5460	TTB 220A G F ML /70°/L65	1	pc
44,0350,5460,630	TTB 220A G F ML WWP/70°/L65	1	pc
44,0350,5480	TTB 400A W ML /70°/L50	1	pc
44,0350,5480,630	TTB 400A W ML OVT/70°/L50	1	pc
44,0350,4413	TTB 400A W ML/70°/L65	1	pc
44,0350,4413,630	TTB 400A W ML WWP/70°/L65	1	pc

TTB 300P W ML/70°/L65 (44,0350,4412)

Article no.	Description	Quantity	Unit
44,0350,5481,630	TTB 400A W ML WWP/70°/L150	1	pc
44,0350,5482,630	TTB 400A W ML WWP/70°/L300	1	pc
44,0350,5483	TTB 400A F W ML /70°/L65	1	pc
44,0350,5483,630	TTB 400A F W ML OVT/70°/L65	1	pc
44,0350,5452	TTB 160P G ML /70°/L50	1	pc
44,0350,5452,630	TTB 160P G ML OVT/70°/L50	1	pc
44,0350,4407	TTB 160P G ML/70°/L65	1	pc
44,0350,4407,630	TTB 160P G ML OVT/70°/L65	1	pc
44,0350,5453,630	TTB 160P G ML WWP/70°/L150	1	pc
44,0350,5454,630	TTB 160P G ML WWP/70°/L300	1	pc
44,0350,5455	TTB 160P G F ML /70°/L65	1	pc
44,0350,5455,630	TTB 160P G F ML WWP/70°/L65	1	pc
44,0350,5489	TTB 160P S G ML/70°/L65	1	pc
44,0350,5491	TTB 220P S G ML/70°/L65	1	pc
44,0350,1497	Torch cap short L11	1	pc
44,0350,1495	Torch cap long L153	1	pc
44,0350,1496	Torch cap middle L64	1	pc
44,0350,1761	Torch cap short L11	1	pc
42,0411,4004	TUNGSTEN-ELECTRODE CER2% D=2.0	1	pc
42,0411,0214	Tung. el. WP/ø2.0x175	1	pc
42,0411,0215	Tung. el. WS2-2.0x175mm	1	pc
42,0201,2368	Key torch cap/SW6	1	pc
44,0350,0865	Brennerhals TTB 160 S / 220 S	1	pc
42,1200,0640	Gleitscheibe Knickgelenk-Bren.	1	pc
42,1500,0400	Druckfeder Ø14,8x25 d=2,0	1	pc
42,0001,1129	Clamping sleeve MS 1.0/ø4.5x25	1	pc
42,0001,1130	Clamping sleeve 1.6/ø4.5x25	1	pc
42,0001,1132	Clamping sleeve 2.4/ø4.5x25	1	pc
42,0001,1133	Clamping sleeve 3.2/ø4.5x25	1	pc
42,0001,1131	Clamping sleeve 2.0/ø4.5x25	1	pc
42,0001,0260	Clamp. sl. case 1,6/ø9,5x20,6	1	pc
42,0001,0261	Clamp. sl. case 2,4/ø9,5x20,6	1	pc
42,0001,0262	Clamp. sl. case 3,2/ø9,5x20,6	1	pc
42,0300,0105	Gas nozzle ceramic ø14/ø6,5x30	1	pc

TTB 300P W ML/70°/L65 (44,0350,4412)

Article no.	Description	Quantity	Unit
42,0300,0106	Gas nozzle ceramic ø14/ø8x30	1	pc
42,0300,0107	Gas nozzle ceramic ø14/ø9,5x30	1	pc
42,0300,0108	Gas nozzle ceramic ø15/ø11x30	1	pc
42,0300,0109	Gas nozzle cer. ø17,5/ø12,5x30	1	pc
42,0300,0110	Gas nozzle ceramic ø21/ø16x30	1	pc
42,0300,0982	Gas nozzle cer. ø20/ø6,5x25,5	1	pc
42,0300,0983	Gas nozzle ceramic ø20/ø8x25,5	1	pc
42,0300,0984	Gas nozzle cer. ø20/ø9,5x25,5	1	pc
42,0300,2007	Gas nozzle ceram. ø20/ø11x25,5	1	pc
42,0300,2008	Gas nozzle cer. ø19/ø12,5x25,5	1	pc
42,0001,1343	Gas lens 1,0/ø14x22,5	1	pc
42,0001,1344	Gas lens 1,6/ø14x22,5	1	pc
42,0001,1345	Gas lens 2,4/ø14x22,5	1	pc
42,0001,1346	Gas lens 3,2/ø14x22,5	1	pc
42,0001,1135	Gas lens 2.0/ø14.1x22	1	pc
42,0001,0570	Clamping sleeve large 2.0/	1	pc
42,0300,2247	Gas nozzle cer. ø30,5/ø9,5x48	1	pc
42,0300,2248	Gas nozzle cer. ø30,5/ø12,5x48	1	pc
42,0300,2249	Gas nozzle ceram. ø30,5/ø16x48	1	pc
42,0300,2250	Gas nozzle ceram. ø30,5/ø19x48	1	pc
42,0001,3010	Gas lens big 1,0/ø25,4x41	1	pc
42,0001,3011	Gas lens big 1,6/ø25,4x41	1	pc
42,0001,0571	Gas lens large 2.0/ø25.4x41	1	pc
42,0001,3012	Gas lens big 2,4/ø25,4x41	1	pc
42,0001,3013	Gas lens big 3,2/ø25,4x41	1	pc
42,0001,0681	Fixing sleeve 2.0/ø3.2x14	1	pc
42,0300,2244	Gas nozzle ceramic ø16/ø6,5x16	1	pc
42,0300,2245	Gas nozzle ceramic ø16/ø8x16	1	pc
42,0300,2246	Gas nozzle ceramic ø16/ø9,5x16	1	pc
44,0350,1489	Gas lens 1,0/ø11,5x15	1	pc
44,0350,1490	Gas lens 1,6/ø11,5x15	1	pc
44,0350,0939	Gas lens 2.0/ø11.5x15	1	pc
44,0350,1491	Gas lens 2,4/ø11,5x15	1	pc
44,0350,1480	Scrn for gas noz.cpl.ø25.5/1.0	1	pc

TTB 300P W ML/70°/L65 (44,0350,4412)

Article no.	Description	Quantity	Unit
44,0350,1488	Scrn for gas noz.cpl.ø25.5/1.6	1	pc
44,0350,1505	Scrn for gas noz.cpl.ø25.5/2.4	1	pc
44,0350,1504	Scrn for gas noz.cpl.ø25.5/2.0	1	pc
44,0350,1506	Scrn for gas noz.cpl.ø25.5/3.2	1	pc